



Yuasa Technisches Datenblatt

Yuasa YBX1049 - YBX1000 CaCa Batteries

Leistung

Spannung	12V
Kapazität 20 Std	45Ah
Kaltstartstrom (A) EN1	350A

Abmessungen

Länge	220mm
Breite	135mm
Höhe	225mm

Maße und Gewichte

Mean Weight with Acid	13kg
Gewicht (trocken)	-
Säure Volumen	3 litres



Gehäuseeigenschaften

Gehäusotyp	E2 (Talbot)
Cell Layout	1
Batteriehälter	B1
Ladezustandsanzeige	-
Tragegriffe	-
Entgasung	-
Semi Traktionseigenschaften	-
Deckel Typ	Raised Plug

Technologie

Flammschutz	-
Technologie	Ca/Ca
Separator	PE
VDA Überroll Test	-
Vibration	V1 (30Hz/3g/2hr)
Ladestrom	3A


Anschlusspol Typ

Zellenanordnung

Batteriehälter

T1

Standard DIN Post



Ausstellungsdatum: 12/05/2016 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX1049 - YBX1000 CaCa Batteries

Performance

Voltage	12V
Capacity (20-hour)	45Ah
Cold Cranking Amps (EN1)	350A

Dimensions

Length	220mm
Width	135mm
Height	225mm

Weights & Measures

Mean Weight with Acid	13kg
Dry Weight	-
Acid Volume	3 litres



Container Features

Case Type	E2 (Talbot)
Cell Layout	1
Hold Down	B1
State of Charge Indicator	-
Handles	-
End Venting	-
Semi-Traction Features	-
Lid Type	Raised Plug


Technology

Flame Arrestor	-
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	-
Vibration	V1 (30Hz/3g/2hr)
Recommended Charge Rate	3A


Terminal Type

T1


Standard DIN Post



Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 12/05/2016 - E&OE