



Yuasa Technisches Datenblatt

Yuasa YBX3031 - YBX3000 SMF Batteries

Leistung

Spannung	12V
Kapazität 20 Std	70Ah
Kaltstartstrom (A) EN1	570A

Abmessungen

Länge	260mm
Breite	174mm
Höhe	225mm

Maße und Gewichte

Mean Weight with Acid	17.3kg
Gewicht (trocken)	-
Säure Volumen	-



Gehäuseeigenschaften

Gehäusotyp	JIS D26
Cell Layout	1
Batteriehälter	N
Ladezustandsanzeige	✓
Tragegriffe	✓
Entgasung	✓
Semi Traktionseigenschaften	-
Deckel Typ	SMF Double Lid


Technologie

Flammschutz	✓
Technologie	Ca/Ca
Separator	PE
VDA Überroll Test	✓
Vibration	V1 (30Hz/3g/2hr)
Ladestrom	4A


Anschlusspol Typ

T1


Standard DIN Post



Positive Terminal



Negative Terminal



Batteriehälter



Ausstellungsdatum: 12/05/2016 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX3031 - YBX3000 SMF Batteries

Performance

Voltage	12V
Capacity (20-hour)	70Ah
Cold Cranking Amps (EN1)	570A

Dimensions

Length	260mm
Width	174mm
Height	225mm

Weights & Measures

Mean Weight with Acid	17.3kg
Dry Weight	-
Acid Volume	-



Container Features

Case Type	JIS D26
Cell Layout	1
Hold Down	N
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Semi-Traction Features	-
Lid Type	SMF Double Lid


Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	✓
Vibration	V1 (30Hz/3g/2hr)
Recommended Charge Rate	4A


Terminal Type

T1


Standard DIN Post



Positive Terminal



Negative Terminal



Battery Hold-down



Data Sheet generated on 12/05/2016 - E&OE