



Yuasa Technisches Datenblatt

Yuasa YBX7335 - YBX7000 EFB Start Stop Plus Batteries

Leistung

Spannung	12V
Kapazität 20 Std	80Ah
Kaltstartstrom (A) EN1	780A

Abmessungen

Länge	305mm
Breite	173mm
Höhe	225mm

Maße und Gewichte

Mean Weight with Acid	22.5kg
Gewicht (trocken)	-
Säure Volumen	5.2 litres



Gehäuseeigenschaften

Gehäusotyp	D31 JIS EFB (T110)
Batteriehälter	N
Ladezustandsanzeige	-
Tragegriffe	-
Entgasung	-
Semi Traktionseigenschaften	-
Deckel Typ	Raised Plug

Technologie

Flammschutz	✓
Technologie	Ca/Ca
Separator	PE
VDA Überroll Test	-
Vibration	V1 (30Hz/3g/2hr)
Ladestrom	4A


Anschlusspol Typ

Zellenanordnung


Batteriehälter

T1



Standard DIN Post



Positive Terminal



Negative Terminal



Ausstellungsdatum: 12/05/2016 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX7335 - YBX7000 EFB Start Stop Plus Batteries

Performance

Voltage	12V
Capacity (20-hour)	80Ah
Cold Cranking Amps (EN1)	780A

Dimensions

Length	305mm
Width	173mm
Height	225mm

Weights & Measures

Mean Weight with Acid	22.5kg
Dry Weight	-
Acid Volume	5.2 litres



Container Features

Case Type	D31 JIS EFB (T110)
Hold Down	N
State of Charge Indicator	-
Handles	-
End Venting	-
Semi-Traction Features	-
Lid Type	Raised Plug


Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	-
Vibration	V1 (30Hz/3g/2hr)
Recommended Charge Rate	4A

Terminal Type

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 12/05/2016 - E&OE